

10/18/00

JC685 U.S. PTO

UTILITY PATENT APPLICATION TRANSMITTAL LETTER

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
ND-361US

JC920 U.S. PTO

09/690727

10/18/00

To the Assistant Commissioner for Patents:

Transmitted herewith for filing is the patent application of:

Shinichi UKON

corresponding to Japanese application No. 11-296901, filed 19
October 1999,

entitled: AUTOMATIC CALL DISTRIBUTION SYSTEM AND METHOD

Enclosed are:

<input checked="" type="checkbox"/>	25 pages of specification.
<input checked="" type="checkbox"/>	3 sheets of formal drawings.
<input checked="" type="checkbox"/>	a newly-executed declaration of the inventor.
<input type="checkbox"/>	a copy of an executed declaration of the inventor from prior application Serial No. , filed .
<input type="checkbox"/>	incorporation by reference. The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied as indicated in the preceding box, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
<input checked="" type="checkbox"/>	an assignment of the invention to NEC Corporation , including assignment cover sheet.
<input checked="" type="checkbox"/>	Information Disclosure Statement with Form PTO-1449.
<input checked="" type="checkbox"/>	copies of the Information Disclosure Statement citations.
<input type="checkbox"/>	preliminary amendment.
<input checked="" type="checkbox"/>	return receipt postcard (MPEP 503), specifically itemized.
<input type="checkbox"/>	applicant claims small entity status under 37 CFR 1.27.
<input checked="" type="checkbox"/>	a certified copy of the Japanese Priority Document.
<input checked="" type="checkbox"/>	other: Data Entry Sheet .

If a CONTINUING APPLICATION, *check appropriate box and supply the requisite information.*☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP)

of prior application No. , filed .

<input checked="" type="checkbox"/>	Customer No. 000466.
<input checked="" type="checkbox"/>	Correspondence address is: YOUNG & THOMPSON, 745 South 23rd Street, Second Floor, Arlington, Virginia 22202.
<input checked="" type="checkbox"/>	Telephone: (703) 521-2297. Telefax: (703) 685-0573 or (703) 979-4709.

UTILITY PATENT APPLICATION TRANSMITTAL LETTER
(continued)

Docket No.
ND-361US

CLAIMS AS FILED

	NO. FILED	NO. EXTRA	RATE	FEE
BASIC FEE			\$ 710	\$ 710
TOTAL CLAIMS	12 - 20 =	0	x\$ 18	
INDEPENDENT CLAIMS	2 - 3 =	0	x\$ 80	
MULTIPLE DEPENDENT CLAIM PRESENT			\$ 270	
TOTAL				\$ 710
If applicant claims small entity status under 37 CFR 1.27, then divide total fee by 2, and enter amount here.		SMALL ENTITY TOTAL		\$

<input checked="" type="checkbox"/>	A check in the amount of \$750 to cover the filing fee is enclosed.
<input checked="" type="checkbox"/>	The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to Deposit Account No. 25-0120 in the name of Young & Thompson, as described below. A duplicate copy of this sheet is enclosed.
<input type="checkbox"/>	Charge the amount of \$ as filing fee.
<input checked="" type="checkbox"/>	Credit any overpayment.
<input checked="" type="checkbox"/>	Charge any additional fee required under 37 CFR 1.16 and 1.17, during the pendency of this application.
<input type="checkbox"/>	Charge the issue fee set in 37 CFR 1.18 at the mailing of the Notice of Allowance.



Robert J. Patch
Registration No. 17,355
745 South 23rd Street
Arlington, VA 22202
Telephone 703/521-2297

October 17, 2000

[illegible]

Correspondence Customer Number::	000466
Name Line One::	YOUNG & THOMPSON
Address Line One::	745 SOUTH 23RD STREET
Address Line Two::	SECOND FLOOR
City::	ARLINGTON
State or Province::	VIRGINIA
Country::	U.S.A.
Postal or Zip Code::	22202
Telephone::	703-521-2297
Fax One::	703-685-0573
Fax Two::	703-979-4709

```
Title Line One::      AUTOMATIC CALL DISTRIBUTION SYSTEM
Title Line Two::      AND METHOD
Total Drawing Sheets:: 3
Formal Drawings?::    YES
Application Type::     UTILITY
Docket Number::       ND-361US
```

Representative Customer Number:: 000466

Foreign Application One:: 11-296901
Filing Date:: 19 OCTOBER 1999
Country:: JAPAN
Priority Claimed:: YES

AUTOMATIC CALL DISTRIBUTION SYSTEM AND METHOD

BACKGROUND OF THE INVENTIONField of the Invention

5 This invention relates to an automatic call distribution system and method wherein, when a large number of calls terminate at a private branch exchange, the terminating calls are distributed automatically to a plurality of extension terminals or called parties, and more particularly to a system and a method
10 by which an incoming call is connected preferentially to a specific called party.

Description of the Related Art

 An automatic call distribution system of the type mentioned is conventionally known and disclosed in Japanese
15 Patent Laid-Open No. 232982/1994 wherein, in order to terminate a call at a pilot extension line from an exchange and route the call from the pilot extension line to a free extension line of an extension line group, an extension line group of the routing destination is provided corresponding to the pilot extension
20 line, and a priority is applied to the extension lines which form the extension line group or a priority is applied to a plurality of extension groups and a call terminating at the pilot extension line is routed to a free extension line based on the priority.

25 In the conventional call distribution control system described above, a priority is applied to agents or extension

008101 2206960

terminals of each extension line group and ACD calls are distributed to free agents in accordance with the priority. In particular, for example, a comparatively great number of incoming calls are distributed to an agent which has a comparatively high priority level and a comparatively high priority level is applied to a skilled person or a full-service person so that the transfer number of ACD calls which are terminated at each agent can be controlled in accordance with the degree of the skill or the degree of the full-service thereby to allow efficient and fine services. Further, a skilled agent who is ready for a plurality of works is allocated with a predetermined priority to a plurality of extension line groups so that the skilled agent can be utilized sufficiently and efficient fine services are allowed. Furthermore, by designating a plurality of extension line groups based on a routing table to search for free agents in accordance with the priority, even when calls are concentrated upon one extension line group, the calls are terminated at agents of the other extension line groups to provide services to callers.

However, since agents who are skilled in the work are disposed in a priority within one extension line group or a plurality of groups and ACD calls are distributed in number in accordance with the priority but a corresponding agent corresponding to each caller is not fixed, that is, a full-service agent is not fixed for each caller, when an ACD call is originated from the same caller again or when an ACD call is terminated

again after a call is interrupted during talking, the same agent may not necessarily respond to the ACD call, and consequently, the caller is obliged to explain contents of the inquiry from the beginning. Consequently, a surplus burden is imposed on the caller, and not only deterioration in service is invited, but also the efficiency of use of circuits drops.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide an automatic call distribution system wherein a full-service called party can respond to ACD calls from the same caller.

In order to attain the object described above, according to an aspect of the present invention, there is provided an automatic call distribution system for terminating an ACD call which is an inquiry call from an unspecific caller to a predetermined called party to provide various response services, comprising a database in which caller specification numbers for specifying callers and called party individual call numbers for specifying called parties are registered in a corresponding relationship to each other so that an ACD call from a certain specific caller may terminate at a specific called party, and a called party individual ACD call control processing section for searching, when an ACD call is received, for a called party individual call number corresponding to a caller specification number for specifying the caller of the ACD call from the database and connecting the ACD call with the called party individual

specification number.

Preferably, the automatic call distribution system further comprises call preferential connection information registration means for storing call preferential connection information including a caller specification number for specifying a caller and a called party individual call number of a called party to which an ACD call from the caller is to be connected preferentially into the database.

Otherwise, the automatic call distribution system may further comprise means for recognizing a caller specification number from an ACD call, call preferential connection information inquiry means for inquiring the data base about the recognized caller specification number and reading out a called party individual call number corresponding to the caller specification number, and call connection means for performing connection processing of the ACD call preferentially to the called party individual call number read out by the call preferential connection information inquiry means.

The call connection means may include means for performing, when the called party of the called party individual call number read out by the call preferential information inquiry means is busy or in a termination rejection state and the ACD call cannot be connected preferentially to the called party, wait processing of the ACD call for the called party of the called party individual call number and signaling a speech guidance for notification to the caller that the called party of the

destination of the preferential connection cannot respond and is in a wait state.

As an alternative, the call connection means may include means for performing, when the called party of the called party individual call number read out by the call preferential information inquiry means is busy or in a termination rejection state and the ACD call cannot be connected preferentially to the called party, wait processing of the ACT call for the called party of the called party individual call number, discriminating whether or not connection to a called party other than the called party of the called party individual call number is possible, and connecting the ACD call in the wait processing state to the called party.

As another alternative, the call connection means may include means for performing, when the called party of the called party individual call number read out by the call preferential information inquiry means is busy or in a termination rejection state and the ACD call cannot be connected preferentially to the called party, wait processing of the ACT call for the called party of the called party individual call number, discriminating whether or not connection to a called party other than the called party of the called party individual call number is possible, and connecting, when the connection is possible, the ACD call in the wait processing state to the called party, but performing, when the connection is not possible, wait processing of the ACD call for the called party other than the called party of

the called party individual call number and further discriminating the possibility of connection successively to other called parties to connect the ACD call.

When the called party of the called party individual call number read out by the call priority information inquiry means is in a termination call non-connection state wherein the called party is busy or in a termination rejection state and the ACD call cannot be connected preferentially to the called party, the call connection means may perform called party individual ACD call control processing for connecting the ACD call in a unit of a called party individual or split individual ACD call control processing for terminating the ACD call in a unit of an ACD split.

The automatic call distribution system may further comprise call preferential connection information storage means for recognizing, when an ACD call is connected to a called party by the call connection means to establish a talking state, the caller specification number and a called party individual call number of a called party who responds to the ACD call as call preferential connection information and storing the call preferential connection information into the database.

Preferably, the automatic call distribution system further comprises specific caller call preferential connection information registration means for determining a full-service called party who should respond to an ACD call from a specific caller in advance and storing the caller specification number

008101 220660

of the specific caller and the called party individual call number of the full-service called party as call preferential connection information into the database in advance.

According to another aspect of the present invention,
5 there is provided an automatic call distribution method for terminating an ACD call which is an inquiry call from an unspecific caller to a predetermined called party to provide various response services, comprising a first step of recognizing a caller specification number from the ACD call,
10 a second step of inquiring a database about the caller specification number recognized in the first step and reading out a called party individual call number of a called party registered in a corresponding relationship to the caller specification number, and a third step of connecting the ACD
15 call preferentially to the called party individual call number read out in the second step.

Preferably, the automatic call distribution method further comprises a fourth step of connecting, when a called party individual call number of a called party who is to respond
20 to an ACD call corresponding to the caller specification number is not registered in the database as a result of the inquiry of the database about the caller specification number in the second step, the ACD call to a called party selected based on a predetermined criterion, and a fifth step of storing, when
25 the called party selected in the fourth step responds to the ACD call to establish a talking state, the caller specification

Otherwise, the automatic call distribution method may
5 further comprise a sixth step of determining a full-service
called party who should respond to an ACD call from a specific
caller in advance and storing the caller specification number
of the specific caller and the called party individual call
number of the full-service called party as call preferential
10 connection information into the database in advance.

If the specified called party number is not registered
25 in the database, then known automatic call distribution
processing is performed, and simultaneously, the specified

5 If the called party registered in the database is busy
or in a termination rejection state and is in a waiting state
wherein an ACD call cannot be connected to the called party
who is called with a called party individual call number by
a caller and to whom the ACD call should be connected
10 preferentially, then signaling processing of a speech guidance
designated for each called party individual call number that
the called party is waiting for distribution of the call is
performed and called party individual ACD call control
processing set for each called party individual call number
15 is performed.

When the call from the caller to the ACD system is connected
25 to the called party and enters a talking state as a result of
the call control, the caller number specified upon the

termination and the individual call number of the called party who has responded to the call are stored as call preferential connection information of the ACD system into the call preferential connection information database.

5 Further, a caller number of a specific client or user and a full-service called party who should respond to the caller number are registered in advance in the database, and when an ACD call terminates, the caller of the ACD call is specified. Then, a called party individual call number registered in a
10 corresponding relationship to the caller number of the specific client or user is read out from the database, and the ACD call is connected to an ACD position of a corresponding called party in accordance with the called party individual call number.

 The above and other objects, features and advantages of
15 the present invention will become apparent from the following description and the appended claims, taken in conjunction with the accompanying drawings in which like parts or elements are denoted by like reference symbols.

20 BRIEF DESCRIPTION OF THE DRAWINGS

 FIG. 1 is a block diagram showing a main construction of an automatic call distribution system to which the present invention is applied;

 FIG. 2 is a flow chart illustrating called party ACD call
25 control processing of the automatic call distribution system of FIG. 1; and

FIG. 3 is a block diagram showing a main construction of another automatic call distribution system to which the present invention is applied.

5

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring first to FIG. 1, there is shown an automatic call distribution system to which the present invention is applied. The automatic call distribution system shown includes a called party individual call number registration section 1, a caller specification number recognition section 2, a call preferential connection information inquiry section 3, a call preferential connection information database 4, a call connection processing section 5, a call connection auxiliary processing section 6, an ACD system control processing section 7, a call connection information automatic recognition section 8, a call preferential connection information storage section 9, and an ACD split 10 including called party ACD positions 10-a, 10-b and 10-c.

The called party individual call number registration section 1 registers called parties who can respond to a call terminating at the ACD split 10 of the ACD system, and registers called party individual call numbers for calling a called party to allow speech guidance processing of waiting of a terminating call to a called party individual and called party individual ACD call connection processing of performing control of a terminating call.

5

15

25

25 The call connection processing section 5 performs
processing of preferentially connecting a call to the ACD system

from a caller to a called party individual call number called by the call preferential connection information inquiry section 3.

However, when the call connection processing section 5 cannot perform such preferential connection, it controls the call connection auxiliary processing section 6 to perform wait processing and then performs called party individual ACD call control processing which is performed after such preferential connection becomes possible and called party individual ACD call control processing for another called party who can provide a similar service or split individual ACD call control processing for another ACD position which can provide a similar service.

The call connection auxiliary processing section 6 performs, when a called party to which the call connection processing section 5 tries to preferentially connect a call in its call connection processing is busy or in a termination rejection state and is not in an immediately connectable state, processing of notifying the caller, for example, by a speech guidance that call distribution to the preferential connection called party is being waited for, and performs called party individual ACD call control processing for controlling the ACD system control processing section 7 to perform waiting processing to control a call for each called party individual call number.

The ACD system control processing section 7 is controlled by the call connection auxiliary processing section 6 to perform

processing of waiting, together with called party individual
ACD call control processing for confirmation in a unit of a
caller individual or split individual ACD call control
processing for confirmation in a unit of an ACD split upon
5 confirmation of whether an ACD call from a caller can be connected
to some other called party than a called party to whom the ACD
call cannot be connected, that the terminating call is
distributed to one of the called parties and connecting the
ACD call to the called party one of whose telephone circuits
10 in the waited state has become free.

The call connection information recognition section 8
performs, when a call from a caller to the ACD system is connected
to a called party by call control to establish a talking state,
automatic recognition processing of a set of the called party
15 individual call number of the called party who responds to the
call and the caller specification number of the caller recognized
by the caller specification number recognition section 2 upon
termination of the call as call preferential connection
information of the ACD system.

20 The call preferential connection information storage
section 9 performs processing of storing call preferential
connection information recognized by the call connection
information automatic recognition section 8 and placing the
call preferential connection information into the call
25 preferential connection information database 4.

The ACD split 10 includes a plurality of called party

0030727 2206960

ACD positions 10-a, 10-b and 10-c in a unit of a work in charge.
If a called party responds once, then the called party individual
call number of the responding called party is stored as a
full-service called party of the ACD position together with
5 the caller specification number into the call preferential
connection information database 4.

It is to be noted that the remaining part of the automatic
all distribution system has a similar construction to that of
the conventional ACD system and does not have a direct
10 relationship to the present invention, and therefore, detailed
description of the construction is omitted herein.

Subsequently, called party individual ACD call control
processing of the first embodiment is described with reference
to FIG. 2 in addition to FIG. 1. It is assumed here that the
15 call preferential connection information database 4 initially
has no call preferential connection information registered
therein.

If an ACD call terminates from a caller at the ACD system
(step S101 of FIG. 2), then it is connected to the caller
20 specification number recognition section 2 (step S102), and
the caller specification number recognition section 2 detects
a telephone number of the caller from the ACD call, for example,
through a caller number notification service (step S103). Then,
the caller specification number recognition section 2 performs
25 recognition processing of the detected caller number by means
of the caller specification number automatic recognition

If the caller specification number automatic recognition processing section 21 fails to recognize the caller number in step S104, then the caller specification number input value recognition processing section 22 performs processing of urging the caller to input a number for specifying the caller such as, for example, signaling of a speech guidance (step S105). Then, caller specification number automatic recognition processing section 21 detects a caller number sent from the caller in response to the urging processing (steps S101 to S103) and performs the recognition processing in step S104 again.

If the call preferential connection information inquiry section 3 discriminates in step S107 that a coincident caller number is “absent” (because the call preferential connection information database 4 initially has no call preferential connection information registered therein), then it performs ACD split call control processing similarly as in the

conventional ACD system (step S109), whereafter the control advances to step S115.

5 If the call preferential connection information inquiry section 3 discriminates in step S107 that a coincident caller number is "present", that is, a called party who has responded to the same caller in the past is present, then it reads out a called party individual call number stored in pair with the caller number in the call preferential connection information database 4 (step S108) and discriminates whether or not the
10 corresponding ACD position can respond (step S110).

If the result of discrimination in step S110 is that the response is "possible", then the call preferential connection information inquiry section 3 connects the ACD call preferentially to the corresponding ACD position or called party
15 (step S111), whereafter the processing advances to step S115.

If the result of discrimination in step S110 is that the response is "impossible" because the ACD position or called party is busy in responding to another call or has a temporary termination rejection state set thereto from some reason, for
20 example, because the attendant or called party is absent, then the call preferential connection information inquiry section 3 notifies the call connection auxiliary processing section 6 of this.

The call connection auxiliary processing section 6 which
25 receives the notification that termination at the ACD position is impossible notifies the caller by a speech guidance that

003707 2206560

the "priority called party is waiting for distribution of the call" (step S112). Then, the ACD system control processing section 7 performs called party individual ACD call control processing set for each called party individual call number to the called party who is in a state wherein the ACD call from the caller cannot be connected to the called party.

In particular, when connection is impossible even if the called party is called in accordance with a called party individual call number, called party individual ACD call control processing means 71-a of the ACD system control processing section 7 set for each of the called party individual call numbers cooperates with called party individual ACD call control processing means 71-b and 71-c for confirmation in a unit of a called party individual and split individual ACD call control processing means 72 for confirmation of a unit of an ACD split to wait for distribution of the call thereto (S113).

The ACD call which has been in the waiting state is connected to an ACD position one of whose waited telephone circuits has become free (step S114), and the caller and the called party enter a talking state (step S115).

After the talking state is entered in step S115, the call connection information automatic recognition section 8 recognizes the called party individual call number of the called party who has responded and the caller specification number of the caller recognized by the caller specification number recognition section 2 upon termination in pair as call

preferential connection information (step S116) and stores the call preferential connection information into the call preferential connection information storage section 9 once and then places it into the call preferential connection information database 4 (step S117).

Consequently, the called party who has responded to the ACD call becomes a full-service called party for later ACD calls from the same caller. It is to be noted that the registration of the full-service called party, that is, the call preferential connection information registered in the call preferential connection information database 4, may be deleted if no call is terminated from the same caller for a predetermined period of time.

In this manner, according to the automatic call distribution system of the first embodiment, an ACD call is distributed by an existing ACD distribution function, and when the ACD call is terminated at an ACD split in charge, a caller number is detected. Then, the call preferential connection information database is searched based on the detected caller number to detect whether or not there is a registration of the caller number, and if the caller number is registered, then a called party individual call number registered corresponding to the caller number is read out. Then, ACD call control is performed to connect the ACD call preferentially to a called party of the called party individual call number. Consequently, the full-service called party can respond to the same caller.

Accordingly, in response to the same or relating inquiry from the same caller, the called party can understand contents of the inquiry. Therefore, the caller need not explain the contents of the inquiry in detail to the called party from the beginning. Consequently, augmentation in service to the caller can be anticipated, and the talking time is shortened and the efficiency of use of the circuit is augmented.

Further, when the caller number detected upon termination is not registered in the call preferential connection information database 4, a called party individual call number of a called party who responds to the call is automatically registered into the call preferential connection information database together with the caller specification number. Consequently, when a call is terminated from the same caller later, the full-service called party can respond to the call.

Further, when a full-service called party registered in the call preferential connection information database is busy or in a termination rejection state, waiting processing for the ACD call is performed. Consequently, it can be waited that the call is distributed by called party individual ACD call control processing set for each called party individual call number to the called party to which the call cannot be connected at present together with called party individual ACD call control processing for confirmation in a unit of a called party individual or split individual ACD call control processing for confirmation of a unit of an ACD split of call connection processing to some

5

10

15

20

25

section 11 terminates, the ACD call to the called party individual call number registered in the called party individual call number registration section 1.

Consequently, the call preferential connection information registration section 12 registers a caller number for specification of a particularly significant client or user registered in the caller specification number pre-registration section 11 and a called party individual call number registered in the called party individual call number registration section 1 in pair as call preferential connection information in advance into the call preferential connection information database 4 through the call preferential connection information storage section 9.

In this manner, according to the automatic call distribution system of the second embodiment, even if no call has terminated from a caller at the ACD system and the first call is terminated, then the call preferential connection information database is searched based on a caller number detected upon the termination to read out a called party individual call number, and consequently, the call can be connected to a full-service called party.

In other words, since a called party is fixed with respect to a specific client or user, an operator who is skilled in a work unique to the client or user can attend.

Further, since call preferential connection information including a caller specification number of a caller and a call

number of a called party to be connected preferentially to an ACD call from the caller is handled as a single ACD system data, when changing or deletion of a called party is required, an ACD system manager can perform registration of another called
5 party having a skill of an equal level to that of a called party with respect to call preferential connection information corresponding to a large number of callers.

As described above, according to automatic call distribution system of the first embodiment of the present
10 invention, before conventional ACD call distribution processing of distributing an ACD call to an unspecific called party is performed, a caller of the ACD call is specified, and an individual call number of a called party corresponding to the specified caller is read out from the call preferential
15 connection information database, and then the ACD call is connected preferentially to the individual call number of the called party. Consequently, the called party who should respond to the same caller can be fixed.

Accordingly, if a call while a caller and a called party
20 are in a talking state is disconnected by some reason or the caller tries to issue an inquiry to the ACD system again, then when the ACD call re-originated from the caller to the ACD system is terminated, the call is connected preferentially to the operator of an ACD position by which the preceding call has
25 been connected. Consequently, contents of the preceding conversation with the operator need not be talked again, and surplus

loads to the caller and the called party can be eliminated. Accordingly, augmentation of the efficiency in work of the called party, augmentation in finer service to the caller and augmentation of the degree of satisfaction of the client can
5 be anticipated.

The automatic call distribution system of the second embodiment operates similarly to the automatic call distribution system of the first embodiment. In addition, a caller number of a significant client or a specific user and
10 an individual call number of a full-service called party corresponding to the client or the user are registered as call preferential connection information in the database in advance. Then, when an ACD call from the important client or the specific user terminates, the called party who corresponds to the caller
15 number is specified from the database and the ACD call is immediately connected preferentially to an ACD position of the full-service called party. Consequently, even if an ACD call is terminated from a caller who has no termination history in the past, a full-service operator can connect the ACD immediately.
20 Accordingly, the automatic call distribution system of the second embodiment exhibits, in addition to the advantages of the automatic call distribution system of the first embodiment described above, an additional advantage that a higher degree of satisfaction of the client can be anticipated.

25 While preferred embodiments of the present invention have been described using specific terms, such description is for

003101 2206560

illustrative purposes only, and it is to be understood that changes and variations may be made without departing from the spirit or scope of the following claims.

09130727 101800

What Is Claimed Is:

1. An automatic call distribution system for terminating an ACD call which is an inquiry call from an unspecific caller to a predetermined called party to provide various response
5 services, comprising:

a database in which caller specification numbers for specifying callers and called party individual call numbers for specifying called parties are registered in a corresponding relationship to each other so that an ACD call from a certain
10 specific caller may terminate at a specific called party; and

a called party individual ACD call control processing section for searching, when an ACD call is received, for a called party individual call number corresponding to a caller specification number for specifying the caller of the ACD call
15 from said database and connecting the ACD call with the called party individual specification number.

2. An automatic call distribution system as claimed in claim 1, further comprising call preferential connection information registration means for storing call preferential
20 connection information including a caller specification number for specifying a caller and a called party individual call number of a called party to which an ACD call from the caller is to be connected preferentially into said database.

3. An automatic call distribution system as claimed in claim 1, further comprising means for recognizing a caller
25 specification number from an ACD call, call preferential

003707 2206960

connection information inquiry means for inquiring said data base about the recognized caller specification number and reading out a called party individual call number corresponding to the caller specification number, and call connection means
5 for performing connection processing of the ACD call preferentially to the called party individual call number read out by said call preferential connection information inquiry means.

4. An automatic call distribution system as claimed in
10 claim 3, wherein said call connection means includes means for performing, when the called party of the called party individual call number read out by said call preferential information inquiry means is busy or in a termination rejection state and the ACD call cannot be connected preferentially to the called
15 party, wait processing of the ACD call for the called party of the called party individual call number and signaling a speech guidance for notification to the caller that the called party of the destination of the preferential connection cannot respond and is in a wait state.

20 5. An automatic call distribution system as claimed in claim 3, wherein said call connection means includes means for performing, when the called party of the called party individual call number read out by said call preferential information inquiry means is busy or in a termination rejection state and
25 the ACD call cannot be connected preferentially to the called party, wait processing of the ACT call for the called party

0080727-104800

5

20

25

wherein the called party is busy or in a termination rejection state and the ACD call cannot be connected preferentially to the called party, said call connection means performs called party individual ACD call control processing for connecting
5 the ACD call in a unit of a called party individual or split individual ACD call control processing for terminating the ACD call in a unit of an ACD split.

8. An automatic call distribution system as claimed in claim 3, further comprising call preferential connection
10 information storage means for recognizing, when an ACD call is connected to a called party by said call connection means to establish a talking state, the caller specification number and a called party individual call number of a called party who responds to the ACD call as call preferential connection
15 information and storing the call preferential connection information into said database.

9. An automatic call distribution system as claimed in claim 1, further comprising specific caller call preferential connection information registration means for determining a
20 full-service called party who should respond to an ACD call from a specific caller in advance and storing the caller specification number of the specific caller and the called party individual call number of the full-service called party as call preferential connection information into said database in
25 advance.

10. An automatic call distribution method for

09090727 101800

terminating an ACD call which is an inquiry call from an
unspecific caller to a predetermined called party to provide
various response services, comprising:

5 a first step of recognizing a caller specification number
from the ACD call;

10 a second step of inquiring a database about the caller
specification number recognized in the first step and reading
out a called party individual call number of a called party
registered in a corresponding relationship to the caller
specification number, and

a third step of connecting the ACD call preferentially
to the called party individual call number read out in the second
step.

11. An automatic call distribution method as claimed in
15 claim 10, further comprising a fourth step of connecting, when
a called party individual call number of a called party who
is to respond to an ACD call corresponding to the caller
specification number is not registered in the database as a
result of the inquiry of the database about the caller
20 specification number in the second step, the ACD call to a called
party selected based on a predetermined criterion, and a fifth
step of storing, when the called party selected in the fourth
step responds to the ACD call to establish a talking state,
the caller specification number and the called party individual
25 call number of the called party who has responded to the ACD
call as call preferential connection information into said

09690727 101300

database.

12. An automatic call distribution method as claimed in claim 10, further comprising a sixth step of determining a full-service called party who should respond to an ACD call from a specific caller in advance and storing the caller specification number of the specific caller and the called party individual call number of the full-service called party as call preferential connection information into said database in advance.

10

003707 2208960

ABSTRACT OF THE DISCLOSURE

An automatic call distribution system is disclosed wherein a full-service called party can respond to ACD calls from the same caller. A caller specification number recognition section recognizes a caller number from an ACD call. A call preferential connection information inquiry section inquires a call preferential connection information database about the caller number and reads out a corresponding called party individual call number from the call preferential connection information database. A call connection processing section calls a corresponding ACD split in accordance with the called party call number and connects the ACD call to the called party call number. A call connection information automatic recognition section stores, when the called party responds and a talking state is entered, the caller number and the called party individual call number of the called party into the call preferential connection information database through a call preferential connection information storage section. When the called party is busy or in a termination rejection state and the ACD call cannot be connected to the called party, a call connection auxiliary processing section performs waiting processing and performs called party individual ACD call control processing or split individual ACD call control processing to connect the ACD call to one of called parties.




[illegible]

FIG. 2



[illegible]

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

AUTOMATIC CALL DISTRIBUTION SYSTEM AND METHOD

the specification of which: *(check one)*

REGULAR OR DESIGN APPLICATION

- ☒ is attached hereto.
- ☐ was filed on _____ as application Serial No. _____ and was amended on _____ (if applicable).

PCT FILED APPLICATION ENTERING NATIONAL STAGE

- ☐ was described and claimed in International application No. _____ filed on _____ and as amended on _____ (if any).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

PRIORITY CLAIM

I hereby claim foreign priority benefits under 35 USC 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

PRIOR FOREIGN APPLICATION(S)

Country	Application Number	Date of Filing (day, month, year)	Priority Claimed
Japan	11-296901	19, 10, 1999	Yes

(Complete this part only if this is a continuing application.)

I hereby claim the benefit under 35 USC 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of 35 USC 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)

(Filing Date)

(Status--patented, pending, abandoned)

POWER OF ATTORNEY

The undersigned hereby authorizes the U.S. attorney or agent named herein to accept and follow instructions from Harada Patent Office as to any action to be taken in the Patent and Trademark Office regarding this application without direct communication between the U.S. attorney or agent and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorney or agent named herein will be so notified by the undersigned.


As a named inventor, I hereby appoint the following attorney(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: **Robert J. PATCH, Reg. No. 17,355, Andrew J. PATCH, Reg. No. 32,925, Robert F. HARGEST, Reg. No. 25,590, Benoît CASTEL, Reg. No. 35,041, Eric JENSEN, Reg. No. 37,855, and Thomas W. PERKINS, Reg. No. 33,027, c/o YOUNG & THOMPSON, Second Floor, 745 South 23rd Street, Arlington, Virginia 22202.**

Address all telephone calls to Young & Thompson at 703/521-2297.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor:

(given name, family name)

Inventor's signature Shinichi Ukon  Date September 28, 2000

Shinichi UKON

Residence: Tokyo, Japan Citizenship: Japanese

Post Office Address: c/o NEC Corporation, 7-1, Shiba 5-chome, Minato-ku, Tokyo, Japan

Full name of second joint inventor, if any:

(given name, family name)

Inventor's signature _____ Date _____

Residence: _____ Citizenship: _____

Post Office Address: _____

Full name of third joint inventor, if any:

(given name, family name)

Inventor's signature _____ Date _____

Residence: _____ Citizenship: _____

Post Office Address: _____